

7/13/04

	Type	L #	Hits
1	BRS	L1	59345
2	BRS	L2	883
3	BRS	L3	509
4	BRS	L4	0

	Search Text	DBs
1	(diaphragm near7 (assembly apparatus device valve))	USPAT; US-PGPU B; EPO; JPO; DERWEN T; IBM_TDB
2	1 and ((connect\$4 couple\$) near (control near4 unit microprocessor ECU))	USPAT; US-PGPU B; EPO; JPO; DERWEN T; IBM_TDB
3	2 and ((first second one another lower upper higher lower) near10 (chanbr compartment unit))	USPAT; US-PGPU B; EPO; JPO; DERWEN T; IBM_TDB
4	3 and (73/716.ccls. 73/861.42ccls.)	USPAT; US-PGPU B; EPO; JPO; DERWEN T; IBM_TDB

	Time Stamp	Comments
1	2004/07/13 09:56	
2	2004/07/13 09:59	
3	2004/07/13 10:01	
4	2004/07/13 10:05	

	Error Definition	Errors
1		0
2		0
3		0
4		0

	Type	L #	Hits
5	BRS	L5	33
6	BRS	L6	167091
7	BRS	L7	323
8	BRS	L8	298

	Search Text	DBs
5	3 and (73/\$7.ccls.)	USPAT; US-PGPU B; EPO; JPO; DERWEN T; IBM_TDB
6	73/\$7.ccls.	USPAT; US-PGPU B; EPO; JPO; DERWEN T; IBM_TDB
7	6 and ((diaphragm) same (exhaust control near4 unit ECU))	USPAT; US-PGPU B; EPO; JPO; DERWEN T; IBM_TDB
8	7 and (connect\$4 couple\$)	USPAT; US-PGPU B; EPO; JPO; DERWEN T; IBM_TDB

	Time Stamp	Comments
5	2004/07/13 10:09	
6	2004/07/13 10:10	
7	2004/07/13 10:12	
8	2004/07/13 10:13	

	Error Definition	Errors
5		0
6		0
7		0
8		0